AUTHOR INDEX

A

Abe, R., Ryan, J. J., and Hodes, R. J. Clonal analysis of the Mls system. A reappraisal of polymorphism and allelisms among Mls^a, Mls^c, and Mls^d. 1113

—, *See* Sano, Fujisawa, Abe, Asano, and Tada.

Accolla, R. S. *See* Carra and Accolla.

Agabian, N. *See* Hedstrom, Culpepper, Harrison, Agabian, and Newport.

Agnello, V., Goñi, F., Barnes, J. L., de la Vega, M.-T., and Frangione, B. Human rheumatoid factor crossidiotypes. II. Primary structure–dependent crossreactive idiotype, PSL2-CRI, present on Wa monoclonal rheumatoid factors is present on Bla and other IgMκ monoclonal autoantibodies. 263

Aguet, M., and Merlin, G. Purification of human γ interferon receptors by sequential affinity chromatography on immobilized monoclonal antireceptor antibodies and human γ interferon. 988

Allan, J. E. *See* Ceredig, Allan, Tabi, Lynch, and Doherty.

Allegra, C. J., Kovacs, J. A., Drake, J. C., Swan, J. C., Chabner, B. A., and Masur, H. Activity of antifolates against *Pneumocystis carinii* dihydrofolate reductase and identification of a potent new agent. 926

Allen, H. *See* Waneck, Sherman, Calvin, Allen, and Flavell.

Allison, J. P. *See* Lanier, Federspiel, Ruitenberg, Phillips, Allison, Littman, and Weiss.

Anderson, S. J. *See* Behlke, Henkel, Anderson, Lan, Hood, Braciale, Braciale, and Loh.

Ang, S.-L., Seidman, J. G., Peterman, G. M., Duby, A. D., Benjamin, D., Lee, S. J., and Hafler, D. A. Functional γ chain–associated T cell receptors on cerebrospinal fluid–derived natural killer–like T cell clones. 1453

Ansell, J. D. See Forrester, Ansell, and Micklem.

Aparicio, P., Jaraquemada, D., and López de Castro, J. A. Alloreactive cytolytic T cell clones with dual recognition of HLA-B27 and HLA-DR2 antigens. Selective involvement of CD8 in their class I–directed cytotoxicity. 428

Appel, M. C. *See* Wicker, Miller, Coker, McNally, Scott, Mullen, and Appel.

Appella, E. *See* Darsley, Takahashi, Macchi, Frelinger, Ozato, and Appella.

Arai, K. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.

Arai, N. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.

Ardman, B. *See* Migliorini, Ardman, Kaburaki, and Schwartz.

Armstrong, H. E., Bolton, E. M., McMillan, I., Spencer, S. C., and Bradley, J. A. Prolonged survival of actively enhanced rat renal allografts despite accelerated cellular infiltration and rapid induction of both class I and class II MHC antigens. 891

Arnot, D. E. *See* Barr, Gibson, Enea, Arnot, Hollingdale, and Nussenzweig.

Asai, H. *See* Otsu, Nakano, Kanakura, Asai, Katz, Austen, Stevens, Galli, and Kitamura.

Asano, Y., and Tada, T. Epitopes associated with the MHC restriction site of T cells. II. Somatic generation of Iat epitopes on T cells in radiation bone marrow chimeras. 87

—, *See* Sano, Fujisawa, Abe, Asano, and Tada.

Ashton, F. E. *See* Jennings, Gamian, and Ashton.

Ashwell, J. D., Cunningham, R. E., Noguchi, P. D., and Hernandez, D. Cell growth cycle block of T cell hybridomas upon activation with antigen. 173

Atkinson, J. P. *See* Lublin, Lemons, Le Beau, Holers, Tykocinski, Medof, and Atkinson.

Aubry, J. P. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.

Auger, K. R. *See* Warner, Auger, and Libby.

Austen, K. F. *See* Otsu, Nakano, Kanakura, Asai, Katz, Austen, Stevens, Galli, and Kitamura.

B

Baltimore, D. *See* Citri, Braun, and Baltimore.

Banchereau, J. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.

Bannai, S. *See* Watanabe and Bannai.

Barclay, A. N. *See* Williams, Barclay, Clark, Paterson, and Willis.

Barnes, J. L. *See* Agnello, Goñi, Barnes, de la Vega, and Frangione.

Barr, P. J., Gibson, H. L., Enea, V., Arnot, D. E., Hollingdale, M. R., and Nussenzweig, V. Expression in yeast of a *Plasmodium vivax* antigen of potential use in a human malaria vaccine. 1160

Barrera, O. *See* Swanson, Robbins, Barrera, Corwin, Boslego, Ciak, Blake, and Koomey.

—, *See* Swanson, Robbins, Barrera, and Koomey.

Bartholow, T. L. *See* Lutz, Bartholow, Greenspan, Fulton, Monafo, Perlmutter, Huang, and Davie.

Basso, G. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.

Bastin, J., Rothbard, J., Davey, J., Jones, I., and Townsend, A. Use of synthetic peptides of influenza nucleoprotein to define epitopes recognized by class I–restricted cytotoxic T lymphocytes. 1508

Behlke, M. A., Henkel, T. J., Anderson, S. J., Lan, N. C., Hood, L. E., Braciale, V. L., Braciale, T. J., and Loh, D. Y. Expression of a murine polyclonal T cell receptor marker correlates with the use of specific members of the $V_\beta 8$ gene segment subfamily. 257

Belin, D. *See* Wohlwend, Belin, and Vassalli.

Benjamin, D. *See* Ang, Seidman, Peterman, Duby, Benjamin, Lee, and Hafler.

Bennett, M. *See* Murphy, Kumar, and Bennett.

Berry, D. *See* Datta, Patel, and Berry.

Bierer, B. E. *See* Mentzer, Remold-O'Donnell, Crimmins, Bierer, Rosen, and Burakoff.

Billiau, A. *See* van Damme, Opdenakker, Simpson, Rubira, Cayphas, Vink, Billiau, and van Snick.

Bjornson, A. B., Magnafichi, P. I., Schreiber, R. D., and Bjornson, H. S. Opsonization of Bacteroides by the alternative complement pathway reconstructed from isolated plasma proteins. 777

Bjornson, H. S. *See* Bjornson, Magnafichi, Schreiber, and Bjornson.

Blake, M. S. *See* Gotschlich, Seiff, and Blake.

—, *See* Swanson, Robbins, Barrera, Corwin, Boslego, Ciak, Blake, and Koomey.

Blobel, G. *See* Reeves, Chaudhary, Salerno, and Blobel.

Bluestone, J. A. *See* Yokoyama, Koning, Stingl, Bluestone, Coligan, and Shevach.

Bolan, G. *See* Mietzner, Bolan, Schoolnik, and Morse.

Bolton, E. M. *See* Armstrong, Bolton, McMillan, Spencer, and Bradley.

Bonilla, M. A. *See* Welte, Bonilla, Gillio, Boone, Potter, Gabrilove, Moore, O'Reilly, and Souza.

Bonnefoy, J. Y. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.

Bookman, M. A. *See* Sorger, Hedrick, Fink, Bookman, and Matis.

Boone, T. C. *See* Welte, Bonilla, Gillio, Boone, Potter, Gabrilove, Moore, O'Reilly, and Souza.

Boslego, J. *See* Swanson, Robbins, Barrera, Corwin, Boslego, Ciak, Blake, and Koomey.

Boyd, D. B. *See* Hajjar, Boyd, Harpel, and Nachman.

Braciale, T. J. *See* Behlke, Henkel, Anderson, Lan, Hood, Braciale, Braciale, and Loh.

Braciale, V. L. *See* Behlke, Henkel, Anderson, Lan, Hood, Braciale, Braciale, and Loh.

Bradley, J. A. *See* Armstrong, Bolton, McMillan, Spencer, and Bradley.

Braun, J. *See* Citri, Braun, and Baltimore.

Breiman, R. F., and Horwitz, M. A. Guinea pigs sublethally infected with aerosolized *Legionella pneumophila* develop humoral and cell-mediated immune responses and are protected against lethal aerosol challenge. A model for studying host defense against lung infections caused by intracellular pathogens. 799

Briles, D. E. *See* McDaniel, Yother, Vijayakumar, McGarry, Guild, and Briles.

Brinster, R. L. *See* Faas, Pan, Pinkert, Brinster, and Knowles.

Brostoff, S. *See* Sedgwick, Brostoff, and Mason.

Brown, M. C. *See* Perry, Brown, and Gordon.

Buehler, J. *See* Galili, Buehler, Shohet, and Macher.

Bullock, W. E., and Wright, S. D. Role of adherence-promoting receptors, CR3, LFA-1, and p150,95, in binding of *Histoplasma capsulatum* by human macrophages. 195

Burakoff, S. J. *See* Mentzer, Remold-O'Donnell, Crimmins, Bierer, Rosen, and Burakoff.

Bush, M. R. *See* Durand, Bush, Morgan, Weiss, and Crabtree.

C

Calvin, S. *See* Waneck, Sherman, Calvin, Allen, and Flavell.

Cameron, P. M. *See* Chin, Cameron, Rupp, and Schmidt.

Capron, A. *See* Grzych, Dissous, Capron, Torres, Lambert, and Capron.

Capron, M. *See* Grzych, Dissous, Capron, Torres, Lambert, and Capron.

Carlson, J. R. *See* Heyworth, Carlson, and Ermak.

Carra, G., and Accolla, R. S. Structural analysis of human Ia antigens reveals the existence of a fourth molecular subset distinct from DP, DQ, and DR molecules. 47

Carson, D. A. *See* Rhodes, Rumpold, Kurki, Patrick, Carson, and Vaughan.

Carter, P. B. *See* Stimpson, Esser, Carter, Sartor, Cromartie, and Schwab.

Casorati, G. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.

Cayphas, S. *See* van Damme, Opdenakker, Simpson, Rubira, Cayphas, Vink, Billiau, and van Snick.

—, *See* van Snick, Vink, Cayphas, and Uyttenhove.

Cebra, J. J. *See* London, Rubin, and Cebra.

Cerami, A. *See* Mosser, Vlassara, Edelson, and Cerami.

Ceredig, R., Allan, J. E., Tabi, Z., Lynch, F., and Doherty, P. C. Phenotypic analysis of the inflammatory exudate in murine lymphocytic choriomeningitis. 1539

Chabner, B. A. *See* Allegra, Kovacs, Drake, Swan, Chabner, and Masur.

Chaponnier, C., Yin, H. L., and Stossel, T. P. Reversibility of gelsolin/actin interaction in macrophages. Evidence of Ca^{2+}-dependent and Ca^{2+}-independent pathways. 97

Chaudhary, N. *See* Reeves, Chaudhary, Salerno, and Blobel.

Chen, Z., Le Paslier, D., Dausset, J., Degos, L., Flandrin, G., Cohen, D., and Sigaux, F. Human T cell γ genes are frequently rearranged in B-lineage acute lymphoblastic leukemias but not in chronic B cell proliferations. 1000

Cheng, H.-L. *See* Kang, Cheng, Rudikoff, and Kohler.

Chin, J., Cameron, P. M., Rupp, E., and Schmidt, J. A. Identification of a high-affinity receptor for native human interleukin 1β and interleukin 1α on normal human lung fibroblasts. 70

Chiorazzi, N., and Reeves, W. H. Description and partial characterization of a nucleolar RNA–associated autoantigen defined by a human monoclonal antibody. 1172

Chulay, J. D. *See* Klotz, Chulay, Daniel, and Miller.

Ciak, J. *See* Swanson, Robbins, Barrera, Corwin, Boslego, Ciak, Blake, and Koomey.

Citri, Y., Braun, J., and Baltimore, D. Elevated *myc* expression and c-*myc* amplification in spontaneously occurring B lymphoid cell lines. 1188

Clark, S. J. *See* Williams, Barclay, Clark, Paterson, and Willis.

Clayberger, C. *See* Jongstra, Schall, Dyer, Clayberger, Jorgensen, Davis, and Krensky.

Cohen, D. *See* Chen, Le Paslier, Dausset, Degos, Flandrin, Cohen, and Sigaux.

Cohn, Z. A. *See* Kaplan, Nusrat, Witmer, Nath, and Cohn.

—, *See* McElrath, Kaplan, Nusrat, and Cohn.

—, *See* Young, Damiano, DiNome, Leong, and Cohn.

Coker, L. Z. *See* Wicker, Miller, Coker, McNally, Scott, Mullen, and Appel.

Coligan, J. E. *See* Yokoyama, Koning, Stingl, Bluestone, Coligan, and Shevach.

Colotta, F., Wang, J. M., Polentarutti, N., and Mantovani, A. Expression of c-*fos* protooncogene in normal human peripheral blood granulocytes. 1224

Concannon, P., Gatti, R. A., and Hood, L. E. Human T cell receptor V_β gene polymorphism. 1130

Coon, H. G. *See* Klotz, Hudson, Coon, and Miller.

Cordon-Cardo, C. *See* Houghton, Real, Davis, Cordon-Cardo, and Old.

Corwin, D. *See* Swanson, Robbins, Barrera, Corwin, Boslego, Ciak, Blake, and Koomey.

Costa-Giomi, M. P. *See* Cuturi, Murphy, Costa-Giomi, Weinmann, Perussia, and Trinchieri.

Coutelier, J.-P., van der Logt, J. T. M., Heessen, F. W. A., Warnier, G., and van Snick, J. IgG2a restriction of murine antibodies elicited by viral infections. 64

Crabtree, G. R. *See* Durand, Bush, Morgan, Weiss, and Crabtree.

Crimmins, M. A. V. *See* Mentzer, Remold-O'Donnell, Crimmins, Bierer, Rosen, and Burakoff.

Cromartie, W. J. *See* Stimpson, Esser, Carter, Sartor, Cromartie, and Schwab.

Culpepper, J. *See* Hedstrom, Culpepper, Harrison, Agabian, and Newport.

Cunningham, R. E. *See* Ashwell, Cunningham, Noguchi, and Hernandez.

Cuttner, J. *See* Seremetis, Pelicci, Tabilio, Ubriaco, Grignani, Cuttner, Winchester, Knowles, and Dalla-Favera.

Cuturi, M. C., Murphy, M., Costa-Giomi, M. P., Weinmann, R., Perussia, B., and Trinchieri, G. Independent regulation of tumor necrosis factor and lymphotoxin production by human peripheral blood lymphocytes. 1581

D

Dailey, M. O. *See* Morse, Tidmarsh, Holmes, Fredrickson, Hartley, Pierce, Langdon, Dailey, and Weissman.

Daley, J. *See* Hokland, Hokland, Daley, and Ritz.

Dalla-Favera, R. *See* Seremetis, Pelicci, Tabilio, Ubriaco, Grignani, Cuttner, Winchester, Knowles, and Dalla-Favera.

Dallman, M. J., Wood, K. J., and Morris, P. J. Specific cytotoxic T cells are found in the nonrejected kidneys of blood-transfused rats. 566

Damiano, A. *See* Young, Damiano, DiNome, Leong, and Cohn.

Daniel, W. *See* Klotz, Chulay, Daniel, and Miller.

Darsley, M. J., Takahashi, H., Macchi, M. J., Frelinger, J. A., Ozato, K., and Appella, E. New family of exon-shuffled recombinant genes reveals extensive interdomain interactions in class I histocompatibility antigens and identifies residues involved. 211

Datta, S. K., Patel, H., and Berry, D. Induction of a cationic shift in IgG anti-DNA autoantibodies. Role of T helper cells with classical and novel phenotypes in three murine models of lupus nephritis. 1252

Dausset, J. *See* Chen, Le Paslier, Dausset, Degos, Flandrin, Cohen, and Sigaux.

Davey, J. *See* Bastin, Rothbard, Davey, Jones, and Townsend.

David, P. H. *See* Handunnetti, Mendis, and David.

Davie, J. M. *See* Lutz, Bartholow, Greenspan, Fulton, Monafo, Perlmutter, Huang, and Davie.

Davis, L. J. *See* Houghton, Real, Davis, Cordon-Cardo, and Old.

Davis, M. M. *See* Jongstra, Schall, Dyer, Clayberger, Jorgensen, Davis, and Krensky.

de la Harpe, J. *See* O'Donnell-Tormey, Nathan, Lanks, DeBoer, and de la Harpe.

de la Vega, M.-T. *See* Agnello, Goñi, Barnes, de la Vega, and Frangione.

de Vries, J. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.

DeBoer, C. J. *See* O'Donnell-Tormey, Nathan, Lanks, DeBoer, and de la Harpe.

Defrance, T., Aubry, J. P., Rousset, F., Vanbervliet, B., Bonnefoy, J. Y., Arai, N., Takebe, Y., Yokota, T., Lee, F., Arai, K., de Vries, J., and Banchereau, J. Human recombinant interleukin 4 induces Fcε receptors (CD23) on normal human B lymphocytes. 1459

Degos, L. *See* Chen, Le Paslier, Dausset, Degos, Flandrin, Cohen, and Sigaux.

Dietzschold, B. *See* Watari, Dietzschold, Szokan, and Heber-Katz.

Ding, A., Wright, S. D., and Nathan, C. F. Activation of mouse peritoneal macrophages by monoclonal antibodies to MAC-1 (complement receptor type 3). 733

DiNome, M. A. *See* Young, Damiano, DiNome, Leong, and Cohn.

Dissous, C. *See* Grzych, Dissous, Capron, Torres, Lambert, and Capron.

Doherty, P. C. *See* Ceredig, Allan, Tabi, Lynch, and Doherty.

Drake, J. C. *See* Allegra, Kovacs, Drake, Swan, Chabner, and Masur.

Drummond, G. S. *See* Landaw, Sassa, Drummond, and Kappas.

Duby, A. D. *See* Ang, Seidman, Peterman, Duby, Benjamin, Lee, and Hafler.

Duran, L. W., and Metcalf, E. S. Antibody-defective, genetically susceptible CBA/N mice have an altered *Salmonella typhimurium*–specific B cell repertoire. 29

—, **and Metcalf, E. S.** Clonal analysis of primary B cells responsive to the pathogenic bacterium *Salmonella typhimurium*. 340

Durand, D. B., Bush, M. R., Morgan, J. G., Weiss, A., and Crabtree, G. R. A 275 basepair fragment at the 5' end of the interleukin 2 gene enhances expression from a heterologous promoter in response to signals from the T cell antigen receptor. 395

Durdik, J. *See* Persiani, Durdik, and Selsing.

Dustin, M. L., Sanders, M. E., Shaw, S., and Springer, T. A. Purified lymphocyte function–associated antigen 3 binds to CD2 and mediates T lymphocyte adhesion. 677

—, *See* Plunkett, Sanders, Selvaraj, Dustin, and Springer.

Dyer, B. J. *See* Jongstra, Schall, Dyer, Clayberger, Jorgensen, Davis, and Krensky.

E

Edelson, P. J. *See* Mosser, Vlassara, Edelson, and Cerami.

Eid, A. *See* Morecki, Leshem, Eid, and Slavin.

Eid, N. S., Kravath, R. E., and Lanks, K. W. Heat-shock protein synthesis by human polymorphonuclear cells. 1448

Eisenbarth, G. S. *See* Rabinowe, Nayack, Krisch, George, and Eisenbarth.

Enea, V. *See* Barr, Gibson, Enea, Arnot, Hollingdale, and Nussenzweig.

Ermak, T. H. *See* Heyworth, Carlson, and Ermak.

Esser, R. E. *See* Stimpson, Esser, Carter, Sartor, Cromartie, and Schwab.

Eyre, R. W., and Stanley, J. R. Human autoantibodies against a desmosomal protein complex with a calcium-sensitive epitope are characteristic of pemphigus foliaceus patients. 1719

F

Faas, S. J., Pan, S., Pinkert, C. A., Brinster, R. L., and Knowles, B. B. Simian virus 40 (SV40)-transgenic mice that develop tumors are specifically tolerant to SV40 T antigen. 417

Fabre, J. W. *See* Spencer and Fabre.

Falus, A. *See* Wheat, Wetsel, Falus, Tack, and Strunk.

Fearon, D. T. *See* Klickstein, Wong, Smith, Weis, Wilson, and Fearon.

Federspiel, N. A. *See* Lanier, Federspiel, Ruitenberg, Phillips, Allison, Littman, and Weiss.

Fehrenbach, F. J. *See* Jürgens, Sterzik, and Fehrenbach.

Fink, P. J. *See* Sorger, Hedrick, Fink, Bookman, and Matis.

Flandrin, G. *See* Chen, Le Paslier, Dausset, Degos, Flandrin, Cohen, and Sigaux.

Flavell, R. A. *See* Waneck, Sherman, Calvin, Allen, and Flavell.

Foa, R., Casorati, G., Giubellino, M. C., Basso, G., Shirò, R., Pizzolo, G., Lauria, F., Lefranc, M.-P., Rabbitts, T. H., and Migone, N. Rearrangements of immunoglobulin and T cell receptor β and γ genes are associated with terminal deoxynucleotidyl transferase expression in acute myeloid leukemia. 879

Forrester, L. M., Ansell, J. D., and Micklem, H. S. Development of B lymphocytes in mice heterozygous for the X-linked immunodeficiency (*xid*) mutation. *xid* inhibits development of all splenic and lymph node B cells at a stage subsequent to their initial formation in bone marrow. 949

Fowlkes, B. J. *See* Pardoll, Fowlkes, Lechler, Germain, and Schwartz.

Francis, G. E. *See* Wilson and Francis.

Frangione, B. *See* Agnello, Goñi, Barnes, de la Vega, and Frangione.

Frank, M. M. *See* Zalman, Wood, Frank, and Müller-Eberhard.

Fredrickson, T. F. *See* Morse, Tidmarsh, Holmes, Fredrickson, Hartley, Pierce, Langdon, Dailey, and Weissman.

Frelinger, J. A. *See* Darsley, Takahashi, Macchi, Frelinger, Ozato, and Appella.

Freudenberg, M. A. *See* Lehman, Freudenberg, and Galanos.

Fu, S. M. *See* Gaskin, Kingsley, and Fu.

Fujisawa, I. *See* Sano, Fujisawa, Abe, Asano, and Tada.

Fujita, J. *See* Hamaguchi, Kanakura, Fujita, Takeda, Nakano, Tarui, Honjo, and Kitamura.

Fujita, T. *See* Mitomo, Fujita, and Iida.

Fulton, R. J. *See* Lutz, Bartholow, Greenspan, Fulton, Monafo, Perlmutter, Huang, and Davie.

Funke, I., Hahn, A., Rieber, E. P., Weiss, E., and Riethmüller, G. The cellular receptor (CD4) of the human immunodeficiency virus is expressed on neurons and glial cells in human brain. 1230

G

Gabrilove, J. L. *See* Welte, Bonilla, Gillio, Boone, Potter, Gabrilove, Moore, O'Reilly, and Souza.

Galanos, C. *See* Lehman, Freudenberg, and Galanos.

Galili, U., Buehler, J., Shohet, S. B., and Macher, B. The human natural anti-Gal IgG. III. The subtlety of immune tolerance in man as demonstrated by crossreactivity between natural anti-Gal and anti-B antibodies. 693

Galli, S. J. *See* Otsu, Nakano, Kanakura, Asai, Katz, Austen, Stevens, Galli, and Kitamura.

Gamian, A. *See* Jennings, Gamian, and Ashton.

Gaskin, F., Kingsley, B. S., and Fu, S. M. Autoantibodies to neurofibrillary tangles and brain tissue in Alzheimer's disease. Establishment of Epstein-Barr virus–transformed antibody-producing cell lines. 245

Gatti, R. A. *See* Concannon, Gatti, and Hood.

George, K. L. *See* Rabinowe, Nayack, Krisch, George, and Eisenbarth.

Germain, R. N. *See* Pardoll, Fowlkes, Lechler, Germain, and Schwartz.

Gibson, H. L. *See* Barr, Gibson, Enea, Arnot, Hollingdale, and Nussenzweig.

Gillio, A. P. *See* Welte, Bonilla, Gillio, Boone, Potter, Gabrilove, Moore, O'Reilly, and Souza.

Giubellino, M. C. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.

Goñi, F. *See* Agnello, Goñi, Barnes, de la Vega, and Frangione.

Gordon, S. *See* Perry, Brown, and Gordon.

Gotch, F., McMichael, A., Smith, G., and Moss, B. Identification of viral molecules recognized by influenza-specific human cytotoxic T lymphocytes. 408

Gotschlich, E. C., Seiff, M., and Blake, M. S. The DNA sequence of the structural gene of gonococcal protein III and the flanking region containing a repetitive sequence. Homology of protein III with enterobacterial OmpA proteins. 471

Green, J. R. *See* Paterson, Green, Jefferies, Puklavec, and Williams.

Greene, W. C. *See* Robb and Greene.

Greenspan, N. S. *See* Lutz, Bartholow, Greenspan, Fulton, Monafo, Perlmutter, Huang, and Davie.

Grignani, F. *See* Seremetis, Pelicci, Tabilio, Ubriaco, Grignani, Cuttner, Winchester, Knowles, and Dalla-Favera.

Grzych, J.-M., Dissous, C., Capron, M., Torres, S., Lambert, P.-H., and Capron, A. *Schistosoma mansoni* shares a protective carbohydrate epitope with keyhole limpet hemocyanin. 865

Guild, W. R. *See* McDaniel, Yother, Vijayakumar, McGarry, Guild, and Briles.

H

Hafler, D. A. *See* Ang, Seidman, Peterman, Duby, Benjamin, Lee, and Hafler.

Hahn, A. *See* Funke, Hahn, Rieber, Weiss, and Riethmüller.

Hajjar, D. P., Boyd, D. B., Harpel, P. C., and Nachman, R. L. Histidine-rich glycoprotein inhibits the antiproliferative effect of heparin on smooth muscle cells. 908

Hamaguchi, Y., Kanakura, Y., Fujita, J., Takeda, S.-I., Nakano, T., Tarui, S., Honjo, T., and Kitamura, Y. Interleukin 4 is an essential factor of in vitro clonal growth of murine connective tissue–type mast cells. 268

Handunnetti, S. M., Mendis, K. N., and David, P. H. Antigenic variation of cloned *Plasmodium fragile* in its natural host *Macaca sinica*. Sequential appearance of successive variant antigenic types. 1269

Harlan, J. M. *See* Pohlman, Munford, and Harlan.

Harpel, P. C. *See* Hajjar, Boyd, Harpel, and Nachman.

Harrison, R. A. *See* Hedstrom, Culpepper, Harrison, Agabian, and Newport.

Hartley, J. W. *See* Morse, Tidmarsh, Holmes, Fredrickson, Hartley, Pierce, Langdon, Dailey, and Weissman.

Heber-Katz, E. *See* Watari, Dietzschold, Szokan, and Heber-Katz.

Hedrick, S. M. *See* Sorger, Hedrick, Fink, Bookman, and Matis.

Hedstrom, R., Culpepper, J., Harrison, R. A., Agabian, N., and Newport, G. A major immunogen in *Schistosoma mansoni* infections is homologus to the heat-shock protein Hsp70. 1430

Heessen, F. W. A. *See* Coutelier, van der Logt, Heessen, Warnier, and van Snick.

Hengartner, H. *See* Iwamoto, Ohashi, Pircher, Walker, Michalopoulos, Rupp, Hengartner, and Mak.

Henkel, T. J. *See* Behlke, Henkel, Anderson, Lan, Hood, Braciale, Braciale, and Loh.

Hernandez, D. *See* Ashwell, Cunningham, Noguchi, and Hernandez.

Heyworth, M. F., Carlson, J. R., and Ermak, T. H. Clearance of *Giardia muris* infection requires helper/inducer T lymphocytes. 1743

Ho, Y.-S., Lee, W. M. F., and Snyderman, R. Chemoattractant-induced activation of *c-fos* gene expression in human monocytes. 1524

Hodes, R. J. *See* Abe, Ryan, and Hodes.

Hokland, M. *See* Hokland, Hokland, Daley, and Ritz.

Hokland, P., Hokland, M., Daley, J., and Ritz, J. Identification and cloning of a prethymic precursor T lymphocyte from a population of common acute lymphoblastic leukemia antigen (CALLA)-positive fetal bone marrow cells. 1749

Holers, V. M. *See* Lublin, Lemons, Le Beau, Holers, Tykocinski, Medof, and Atkinson.

Hollingdale, M. R. *See* Barr, Gibson, Enea, Arnot, Hollingdale, and Nussenzweig.

Holmes, K. L. *See* Morse, Tidmarsh, Holmes, Fredrickson, Hartley, Pierce, Langdon, Dailey, and Weissman.

Hong, K. *See* Takata, Kinoshita, Kozono, Takeda, Tanaka, Hong, and Inoue.

Honjo, T. *See* Hamaguchi, Kanakura, Fujita, Takeda, Nakano, Tarui, Honjo, and Kitamura.

Hood, L. E. *See* Concannon, Gatti, and Hood.

—, *See* Behlke, Henkel, Anderson, Lan, Hood, Braciale, Braciale, and Loh.

Horwitz, M. A. *See* Breiman and Horwitz.

Houghton, A. N., Real, F. X., Davis, L. J., Cordon-Cardo, C., and Old, L. J. Phenotypic heterogeneity of melanoma. Relation to the differentiation program of melanoma cells. 812

Huang, H. V. *See* Lutz, Bartholow, Greenspan, Fulton, Monafo, Perlmutter, Huang, and Davie.

Hudson, D. E. *See* Klotz, Hudson, Coon, and Miller.

Hu-Li, J., Shevach, E. M., Mizuguchi, J., Ohara, J., Mosmann, T., and Paul, W. E. B cell stimulatory factor 1 (interleukin 4) is a potent costimulant for normal resting T lymphocytes. 157

I

Iida, K. *See* Mitomo, Fujita, and Iida.

Inaba, K., and Steinman, R. M. Monoclonal antibodies to LFA-1 and to CD4 inhibit the mixed leukocyte reaction after the antigen-dependent clustering of dendritic cells and T lymphocytes. 1403

—, *See* Koide, Inaba, and Steinman.

Inoue, K. *See* Takata, Kinoshita, Kozono, Takeda, Tanaka, Hong, and Inoue.

Iwamoto, A., Ohashi, P. S., Pircher, H., Walker, C. L., Michalopoulos, E. E., Rupp, F., Hengartner, H., and Mak, T. W. T cell receptor variable gene

usage in a specific cytotoxic T cell response. Primary structure of the antigen-MHC receptor of four hapten-specific cytotoxic T cell clones. 591

J

Jaraquemada, D. *See* Aparicio, Jaraquemada, and López de Castro.

Jefferies, W. A. *See* Paterson, Green, Jefferies, Puklavec, and Williams.

Jenkins, M. K., and Schwartz, R. H. Antigen presentation by chemically modified splenocytes induces antigen-specific T cell unresponsiveness in vitro and in vivo. 302

Jennings, H. J., Gamian, A., and Ashton, F. E. *N*-Propionylated group B meningococcal polysaccharide mimics a unique epitope on group B *Neisseria meningitidis*. 1207

Jones, I. *See* Bastin, Rothbard, Davey, Jones, and Townsend.

Jongstra, J., Schall, T. J., Dyer, B. J., Clayberger, C., Jorgensen, J., Davis, M. M., and Krensky, A. M. The isolation and sequence of a novel gene from a human functional T cell line. 601

Jorgensen, J. *See* Jongstra, Schall, Dyer, Clayberger, Jorgensen, Davis, and Krensky.

Jürgens, D., Sterzik, B., and Fehrenbach, F. J. Unspecific binding of group B streptococcal cocytolysin (CAMP factor) to immunoglobulins and its possible role in pathogenicity. 720

K

Kaburaki, J. *See* Migliorini, Ardman, Kaburaki, and Schwartz.

Kanakura, Y. *See* Hamaguchi, Kanakura, Fujita, Takeda, Nakano, Tarui, Honjo, and Kitamura.

—, *See* Otsu, Nakano, Kanakura, Asai, Katz, Austen, Stevens, Galli, and Kitamura.

Kang, A. H. *See* Postlethwaite, Keski-Oja, Moses, and Kang.

Kang, C.-Y., Cheng, H.-L., Rudikoff, S., and Kohler, H. Idiotypic self binding of a dominant germline idiotype (T15). Autobody activity is affected by antibody valency. 1332

Kaplan, G., Nusrat, A., Witmer, M. D., Nath, I., and Cohn, Z. A. Distribution and turnover of Langerhans cells during delayed immune responses in human skin. 763

—, *See* McElrath, Kaplan, Nusrat, and Cohn.

Kappas, A. *See* Landaw, Sassa, Drummond, and Kappas.

Kato, K. *See* Teshigawara, Wang, Kato, and Smith.

Katz, H. R. *See* Otsu, Nakano, Kanakura, Asai, Katz, Austen, Stevens, Galli, and Kitamura.

Kawamoto, T. *See* Sato, Kawamoto, and Okamoto.

Kelly, C. J., and Neilson, E. G. Contrasuppression in autoimmunity. Abnormal contrasuppression facilitates expression of nephritogenic effector T cells and interstitial nephritis in kdkd mice. 107

Keski-Oja, J. *See* Postlethwaite, Keski-Oja, Moses, and Kang.

Kingsley, B. S. *See* Gaskin, Kingsley, and Fu.

Kinoshita, T. *See* Takata, Kinoshita, Kozono, Takeda, Tanaka, Hong, and Inoue.

Kitamura, Y. *See* Hamaguchi, Kanakura, Fujita, Takeda, Nakano, Tarui, Honjo, and Kitamura.

—, *See* Otsu, Nakano, Kanakura, Asai, Katz, Austen, Stevens, Galli, and Kitamura.

Klickstein, L. B., Wong, W. W., Smith, J. A., Weis, J. H., Wilson, J. G., and Fearon, D. T. Human C3b/C4b receptor (CR1). Demonstration of long homologous repeating domains that are composed of the short consensus repeats characteristic of C3/C4 binding proteins. 1095

Klinman, D. M., and Steinberg, A. D. Systemic autoimmune disease arises from polyclonal B cell activation. 1755

Klotz, F. W., Chulay, J. D., Daniel, W., and Miller, L. H. Invasion of mouse erythrocytes by the human malaria parasite, *Plasmodium falciparum*. 1713

—, **Hudson, D. E., Coon, H. G., and Miller, L. H.** Vaccination-induced variation in the 140 kD merozoite surface antigen of *Plasmodium knowlesi* malaria. 359

Knowles, B. B. *See* Faas, Pan, Pinkert, Brinster, and Knowles.

Knowles, D. M., III *See* Medof, Walter, Rutgers, Knowles, and Nussenzweig.

—, *See* Seremetis, Pelicci, Tabilio, Ubriaco, Grignani, Cuttner, Winchester, Knowles, and Dalla-Favera.

Kohler, H. *See* Kang, Cheng, Rudikoff, and Kohler.

Koide, S. L., Inaba, K., and Steinman, R. M. Interleukin 1 enhances T-dependent immune responses by amplifying the function of dendritic cells. 515

Koning, F. *See* Yokoyama, Koning, Stingl, Bluestone, Coligan, and Shevach.

Koomey, J. M. *See* Swanson, Robbins, Barrera, Corwin, Boslego, Ciak, Blake, and Koomey.

—, *See* Swanson, Robbins, Barrera, and Koomey.

Korngold, R., and Sprent, J. Variable capacity of L3T4$^+$ T cells to cause lethal graft-versus-host disease across minor histocompatibility barriers in mice. 1552

Koszinowski, U. H. *See* Reddehase, Mutter, and Koszinowski.

Kotzin, B. L., and Palmer, E. The contribution of NZW genes to lupus-like disease in (NZB × NZW)F_1 mice. 1237

Kovacs, J. A. *See* Allegra, Kovacs, Drake, Swan, Chabner, and Masur.

Kozono, H. *See* Takata, Kinoshita, Kozono, Takeda, Tanaka, Hong, and Inoue.

Krangel, M. S. Endocytosis and recycling of the T3–T cell receptor complex. The role of T3 phosphorylation. 1141,

Kravath, R. E. *See* Eid, Kravath, and Lanks.

Krensky, A. M. *See* Jongstra, Schall, Dyer, Clayberger, Jorgensen, Davis, and Krensky.

Krisch, K. *See* Rabinowe, Nayack, Krisch, George, and Eisenbarth.

Kumar, V. *See* Murphy, Kumar, and Bennett.

Kupfer, A., Swain, S. L., and Singer, S. J. The specific direct interaction of helper T cells and antigen-presenting B cells. II. Reorientation of the microtubule organizing center and reorganization of

the membrane-associated cytoskeleton inside the bound helper T cells. 1565

Kurki, P. *See* Rhodes, Rumpold, Kurki, Patrick, Carson, and Vaughan.

L

Lala, P. K. *See* Parhar and Lala.

Lambert, P.-H. *See* Grzych, Dissous, Capron, Torres, Lambert, and Capron.

Lan, N. C. *See* Behlke, Henkel, Anderson, Lan, Hood, Braciale, Braciale, and Loh.

Landaw, S. A., Sassa, S., Drummond, G. S., and Kappas, A. Proof that Sn-protoporphyrin inhibits the enzymatic catabolism of heme in vivo. Suppression of ^{14}CO generation from radiolabeled endogenous and exogenous heme sources. 1195

Langdon, W. Y. *See* Morse, Tidmarsh, Holmes, Fredrickson, Hartley, Pierce, Langdon, Dailey, and Weissman.

Lanier, L. L., Federspiel, N. A., Ruitenberg, J. J., Phillips, J. H., Allison, J. P., Littman, D., and Weiss, A. The T cell antigen receptor complex expressed on normal peripheral blood $CD4^-$, $CD8^-$ T lymphocytes. A CD3-associated disulfide-linked γ chain heterodimer. 1076

Lanks, K. W. *See* Eid, Kravath, and Lanks.

Lanks, K. *See* O'Donnell-Tormey, Nathan, Lanks, DeBoer, and de la Harpe.

Lauria, F. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.

Le Beau, M. M. *See* Lublin, Lemons, Le Beau, Holers, Tykocinski, Medof, and Atkinson.

Le Gros, G. *See* Skinner, Le Gros, Marbrook, and Watson.

Le Paslier, D. *See* Chen, Le Paslier, Dausset, Degos, Flandrin, Cohen, and Sigaux.

Lechler, R. I. *See* Pardoll, Fowlkes, Lechler, Germain, and Schwartz.

Lee, F. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.

Lee, S. J. *See* Ang, Seidman, Peterman, Duby, Benjamin, Lee, and Hafler.

Lee, W. M. F. *See* Ho, Lee, and Snyderman.

Lefranc, M.-P. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.

Lehman, V., Freudenberg, M. A., and Galanos, C. Lethal toxicity of lipopolysaccharide and tumor necrosis factor in normal and D-galactosamine-treated mice. 657

Lehmann-Grube, F. *See* Moskophidis, Löhler, and Lehmann-Grube.

Lemons, R. S. *See* Lublin, Lemons, Le Beau, Holers, Tykocinski, Medof, and Atkinson.

Leong, L. G. *See* Young, Damiano, DiNome, Leong, and Cohn.

Leshem, B. *See* Morecki, Leshem, Eid, and Slavin.

Libby, P. *See* Warner, Auger, and Libby.

Littman, D. *See* Lanier, Federspiel, Ruitenberg, Phillips, Allison, Littman, and Weiss.

Loh, D. Y. *See* Behlke, Henkel, Anderson, Lan, Hood, Braciale, Braciale, and Loh.

Löhler, J. *See* Moskophidis, Löhler, and Lehmann-Grube.

London, S. D., Rubin, D. H., and Cebra, J. J. Gut mucosal immunization with reovirus serotype 1/L stimulates virus-specific cytotoxic T cell precursors as well as IgA memory cells in Peyer's patches. 830

López de Castro, J. A. *See* Aparicio, Jaraquemada, and López de Castro.

Lublin, D. M., Lemons, R. S., Le Beau, M. M., Holers, V. M., Tykocinski, M. L., Medof, M. E., and Atkinson, J. P. The gene encoding decay-accelerating factor (DAF) is located in the complement-regulatory locus on the long arm of chromosome 1. 1731

Lutz, C. T., Bartholow, T. L., Greenspan, N. S., Fulton, R. J., Monafo, W. J., Perlmutter, R. M., Huang, H. V., and Davie, J. M. Molecular dissection of the murine antibody response to streptococcal group A carbohydrate. 531

Lynch, F. *See* Ceredig, Allan, Tabi, Lynch, and Doherty.

M

Macchi, M. J. *See* Darsley, Takahashi, Macchi, Frelinger, Ozato, and Appella.

Macher, B. *See* Galili, Buehler, Shohet, and Macher.

Magnafichi, P. I. *See* Bjornson, Magnafichi, Schreiber, and Bjornson.

Mak, T. W. *See* Iwamoto, Ohashi, Pircher, Walker, Michalopoulos, Rupp, Hengartner, and Mak.

Mantovani, A. *See* Colotta, Wang, Polentarutti, and Mantovani.

Marbrook, J. *See* Skinner, Le Gros, Marbrook, and Watson.

Mason, D. *See* Sedgwick, Brostoff, and Mason.

Masur, H. *See* Allegra, Kovacs, Drake, Swan, Chabner, and Masur.

Matis, L. A. *See* Sorger, Hedrick, Fink, Bookman, and Matis.

McDaniel, L. S., Yother, J., Vijayakumar, M., McGarry, L., Guild, W. R., and Briles, D. E. Use of insertional inactivation to facilitate studies of biological properties of pneumococcal surface protein A (PspA). 381

McElrath, M. J., Kaplan, G., Nusrat, A., and Cohn, Z. A. Cutaneous leishmaniasis. The defect in T cell influx in BALB/c mice. 546

McGarry, L. *See* McDaniel, Yother, Vijayakumar, McGarry, Guild, and Briles.

McMichael, A. *See* Gotch, McMichael, Smith, and Moss.

McMillan, I. *See* Armstrong, Bolton, McMillan, Spencer, and Bradley.

McNally, S. E. *See* Wicker, Miller, Coker, McNally, Scott, Mullen, and Appel.

Medof, M. E., Walter, E. I., Rutgers, J. L., Knowles, D. M., III, and Nussenzweig, V. Identification of the complement decay-accelerating factor (DAF) on epithelium and glandular cells and in body fluids. 848

—, *See* Lublin, Lemons, Le Beau, Holers, Tykocinski, Medof, and Atkinson.

Melchers, F. *See* Rolink, Radaszkiewicz, and Melchers.
Mendis, K. N. *See* Handunnetti, Mendis, and David.
Mentzer, S. J., Remold-O'Donnell, E., Crimmins, M. A. V., Bierer, B. E., Rosen, F. S., and Burakoff, S. J. Sialophorin, a surface sialoglycoprotein defective in the Wiskott-Aldrich syndrome, is involved in human T lymphocyte proliferation. 1383
Merlin, G. *See* Aguet and Merlin.
Metcalf, E. S. *See* Duran and Metcalf.
—, *See* Duran and Metcalf.
Michalopoulos, E. E. *See* Iwamoto, Ohashi, Pircher, Walker, Michalopoulos, Rupp, Hengartner, and Mak.
Micklem, H. S. *See* Forrester, Ansell, and Micklem.
Mietzner, T. A., Bolan, G., Schoolnik, G. K., and Morse, S. A. Purification and characterization of the major iron-regulated protein expressed by pathogenic *Neisseriae*. 1041
Migliorini, P., Ardman, B., Kaburaki, J., and Schwartz, R. S. Parallel sets of autoantibodies in MRL-*lpr*/*lpr* mice. An anti-DNA, anti-SmRNP, anti-gp70 network. 483
Migone, N. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.
Miller, B. J. *See* Wicker, Miller, Coker, McNally, Scott, Mullen, and Appel.
Miller, L. H. *See* Klotz, Chulay, Daniel, and Miller.
—, *See* Klotz, Hudson, Coon, and Miller.
Mishra, R. S. *See* Prasad, Mishra, and Nath.
Mitomo, K., Fujita, T., and Iida, K. Functional and antigenic properties of complement receptor type 2, CR2. 1424
Mizuguchi, J. *See* Hu-Li, Shevach, Mizuguchi, Ohara, Mosmann, and Paul.
Mizuochi, T. *See* Rosenberg, Mizuochi, Sharrow, and Singer.
Monafo, W. J. *See* Lutz, Bartholow, Greenspan, Fulton, Monafo, Perlmutter, Huang, and Davie.
Moore, M. A. S. *See* Welte, Bonilla, Gillio, Boone, Potter, Gabrilove, Moore, O'Reilly, and Souza.
Morecki, S., Leshem, B., Eid, A., and Slavin, S. Alloantigen persistence in induction and maintenance of transplantation tolerance. 1468
Morgan, J. G. *See* Durand, Bush, Morgan, Weiss, and Crabtree.
Morris, P. J. *See* Dallman, Wood, and Morris.
Morse, H. C., III, Tidmarsh, G. F., Holmes, K. L., Fredrickson, T. F., Hartley, J. W., Pierce, J. H., Langdon, W. Y., Dailey, M. O., and Weissman, I. L. Expression of the 6C3 antigen on murine hematopoietic neoplasms. Association with expression of *abl*, *ras*, *fes*, *src*, *erb*B, and Cas NS-1 oncogenes but not with *myc*. 920
—, *See* Mosier, Yetter, and Morse.
Morse, S. A. *See* Mietzner, Bolan, Schoolnik, and Morse.
Moses, H. L. *See* Postlethwaite, Keski-Oja, Moses, and Kang.
Mosier, D. E., Yetter, R. A., and Morse, H. C., III Functional T lymphocytes are required for a murine retrovirus-induced immunodeficiency disease (MAIDS). 1737
Moskophidis, D., Löhler, J., and Lehmann-Grube, F. Antiviral antibody–producing cells in parenchymatous organs during persistent virus infection. 705
Mosmann, T. *See* Hu-Li, Shevach, Mizuguchi, Ohara, Mosmann, and Paul.
Moss, B. *See* Gotch, McMichael, Smith, and Moss.
Mosser, D. M., Vlassara, H., Edelson, P. J., and Cerami, A. Leishmania promastigotes are recognized by the macrophage receptor for advanced glycosylation endproducts. 140
Mullen, Y. *See* Wicker, Miller, Coker, McNally, Scott, Mullen, and Appel.
Müller-Eberhard, H. J. *See* Zalman, Wood, Frank, and Müller-Eberhard.
Munford, R. S. *See* Pohlman, Munford, and Harlan.
Murphy, M. *See* Cuturi, Murphy, Costa-Giomi, Weinmann, Perussia, and Trinchieri.
Murphy, W. J., Kumar, V., and Bennett, M. Rejection of bone marrow allografts by mice with severe combined immune deficiency (SCID). Evidence that natural killer cells can mediate the specificity of marrow graft rejection. 1212
Mutter, W. *See* Reddehase, Mutter, and Koszinowski.

N

Nachman, R. L. *See* Hajjar, Boyd, Harpel, and Nachman.
Nakano, T. *See* Hamaguchi, Kanakura, Fujita, Takeda, Nakano, Tarui, Honjo, and Kitamura.
—, *See* Otsu, Nakano, Kanakura, Asai, Katz, Austen, Stevens, Galli, and Kitamura.
Nath, I. *See* Kaplan, Nusrat, Witmer, Nath, and Cohn.
—, *See* Prasad, Mishra, and Nath.
Nathan, C. F. *See* O'Donnell-Tormey, Nathan, Lanks, DeBoer, and de la Harpe.
—, *See* Ding, Wright, and Nathan.
Nayack, R. C. *See* Rabinowe, Nayack, Krisch, George, and Eisenbarth.
Neilson, E. G. *See* Kelly and Neilson.
Nemazee, D. *See* Shlomchik, Nemazee, van Snick, and Weigert.
Newport, G. *See* Hedstrom, Culpepper, Harrison, Agabian, and Newport.
Nguyen, H. Q. *See* Tuan and Nguyen.
Nishizuka, Y. *See* Taguchi and Nishizuka.
Noguchi, P. D. *See* Ashwell, Cunningham, Noguchi, and Hernandez.
Notkins, A. L. *See* Uchigata, Spitalnik, Tachiwaki, Salata, and Notkins.
Nusrat, A. *See* Kaplan, Nusrat, Witmer, Nath, and Cohn.
—, *See* McElrath, Kaplan, Nusrat, and Cohn.
Nussenzweig, V. *See* Barr, Gibson, Enea, Arnot, Hollingdale, and Nussenzweig.
—, *See* Medof, Walter, Rutgers, Knowles, and Nussenzweig.

O

O'Donnell-Tormey, J., Nathan, C. F., Lanks, K., DeBoer, C. J., and de la Harpe, J. Secretion of

pyruvate. An antioxidant defense of mammalian cells. 500

Ogawa, R., Sugamura, K., and Watanabe, Y. Tyrosine phosphorylation of an interleukin 2 receptor–like protein in cells transformed by human T cell leukemia virus type I. 959

Ohara, J. *See* Hu-Li, Shevach, Mizuguchi, Ohara, Mosmann, and Paul.

Ohashi, P. S. *See* Iwamoto, Ohashi, Pircher, Walker, Michalopoulos, Rupp, Hengartner, and Mak.

Okamoto, T. *See* Sato, Kawamoto, and Okamoto.

Old, L. J. *See* Houghton, Real, Davis, Cordon-Cardo, and Old.

Opdenakker, G. *See* van Damme, Opdenakker, Simpson, Rubira, Cayphas, Vink, Billiau, and van Snick.

O'Reilly, R. J. *See* Welte, Bonilla, Gillio, Boone, Potter, Gabrilove, Moore, O'Reilly, and Souza.

Osmond, D. G. *See* Park and Osmond.

Otsu, K., Nakano, T., Kanakura, Y., Asai, H., Katz, H. R., Austen, K. F., Stevens, R. L., Galli, S. J., and Kitamura, Y. Phenotypic changes of bone marrow–derived mast cells after intraperitoneal transfer into w/w^v mice that are genetically deficient in mast cells. 615

Ozato, K. *See* Darsley, Takahashi, Macchi, Frelinger, Ozato, and Appella.

P

Palmer, E. *See* Kotzin and Palmer.

Pan, S. *See* Faas, Pan, Pinkert, Brinster, and Knowles.

Pardoll, D. M., Fowlkes, B. J., Lechler, R. I., Germain, R. N., and Schwartz, R. H. Early genetic events in T cell development analyzed by in situ hybridization. 1624

Parhar, R. S., and Lala, P. K. Amelioration of B16F10 melanoma lung metastasis in mice by a combination therapy with indomethacin and interleukin 2. 14

Park, Y.-H., and Osmond, D. G. Phenotype and proliferation of early B lymphocyte precursor cells in mouse bone marrow. 444

Patel, H. *See* Datta, Patel, and Berry.

Paterson, D. J., Green, J. R., Jefferies, W. A., Puklavec, M., and Williams, A. F. The MRC OX-44 antigen marks a functionally relevant subset among rat thymocytes. 1

—, *See* Williams, Barclay, Clark, Paterson, and Willis.

Patrick, K. M. *See* Rhodes, Rumpold, Kurki, Patrick, Carson, and Vaughan.

Paul, W. E. *See* Hu-Li, Shevach, Mizuguchi, Ohara, Mosmann, and Paul.

Pelicci, P.-G. *See* Seremetis, Pelicci, Tabilio, Ubriaco, Grignani, Cuttner, Winchester, Knowles, and Dalla-Favera.

Perlmutter, R. M. *See* Lutz, Bartholow, Greenspan, Fulton, Monafo, Perlmutter, Huang, and Davie.

Perry, V. H., Brown, M. C., and Gordon, S. The macrophage response to central and peripheral nerve injury. A possible role for macrophages in regeneration. 1218

Persiani, D. M., Durdik, J., and Selsing, E. Active λ and κ antibody gene rearrangement in Abelson murine leukemia virus–transformed pre-B cell lines. 1655

Perussia, B. *See* Cuturi, Murphy, Costa-Giomi, Weinmann, Perussia, and Trinchieri.

Peterman, G. M. *See* Ang, Seidman, Peterman, Duby, Benjamin, Lee, and Hafler.

Phillips, J. H. *See* Lanier, Federspiel, Ruitenberg, Phillips, Allison, Littman, and Weiss.

Pierce, J. H. *See* Morse, Tidmarsh, Holmes, Fredrickson, Hartley, Pierce, Langdon, Dailey, and Weissman.

Pinkert, C. A. *See* Faas, Pan, Pinkert, Brinster, and Knowles.

Pircher, H. *See* Iwamoto, Ohashi, Pircher, Walker, Michalopoulos, Rupp, Hengartner, and Mak.

Pizzolo, G. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.

Plunkett, M. L., Sanders, M. E., Selvaraj, P., Dustin, M. L., and Springer, T. A. Rosetting of activated human T lymphocytes with autologous erythrocytes. Definition of the receptor and ligand molecules as CD2 and lymphocyte function–associated antigen 3 (LFA-3). 664

Pohlman, T. H., Munford, R. S., and Harlan, J. M. Deacylated lipopolysaccharide inhibits neutrophil adherence to endothelium induced by lipopolysaccharide in vitro. 1393

Polentarutti, N. *See* Colotta, Wang, Polentarutti, and Mantovani.

Postlethwaite, A. E., Keski-Oja, J., Moses, H. L., and Kang, A. H. Stimulation of the chemotactic migration of human fibroblasts by transforming growth factor β. 251

Potter, G. K. *See* Welte, Bonilla, Gillio, Boone, Potter, Gabrilove, Moore, O'Reilly, and Souza.

Prasad, H. K., Mishra, R. S., and Nath, I. Phenolic glycolipid I of *Mycobacterium leprae* induces general suppression of in vitro concanavalin A responses unrelated to leprosy type. 239

Puklavec, M. *See* Paterson, Green, Jefferies, Puklavec, and Williams.

R

Rabbitts, T. H. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.

Rabinowe, S. L., Nayack, R. C., Krisch, K., George, K. L., and Eisenbarth, G. S. Aging in man. Linear increase of a novel T cell subset defined by antiganglioside monoclonal antibody 3G5. 1436

Radaszkiewicz, T. *See* Rolink, Radaszkiewicz, and Melchers.

Real, F. X. *See* Houghton, Real, Davis, Cordon-Cardo, and Old.

Reason, D. C. A murine hybridoma with large cytoplasmic inclusions of κ light chains. 578

Reddehase, M. J., Mutter, W., and Koszinowski, U. H. In vivo application of recombinant interleukin 2 in the immunotherapy of established cytomegalovirus infection. 650

Reeves, W. H., Chaudhary, N., Salerno, A., and Blobel, G. Lamin B autoantibodies in sera of

certain patients with systemic lupus erythematosus. 750
—, *See* Chiorazzi and Reeves.
Remold-O'Donnell, E. *See* Mentzer, Remold-O'Donnell, Crimmins, Bierer, Rosen, and Burakoff.
Rhodes, G., Rumpold, H., Kurki, P., Patrick, K. M., Carson, D. A., and Vaughan, J. H. Autoantibodies in infectious mononucleosis have specificity for the glycine-alanine repeating region of the Epstein-Barr virus nuclear antigen. 1026
Rich, R. R. *See* Rodgers, Smith, and Rich.
Rieber, E. P. *See* Funke, Hahn, Rieber, Weiss, and Riethmüller.
Riethmüller, G. *See* Funke, Hahn, Rieber, Weiss, and Riethmüller.
Ritz, J. *See* Hokland, Hokland, Daley, and Ritz.
Robb, R. J., and Greene, W. C. Internalization of interleukin 2 is mediated by the β chain of the high-affinity interleukin 2 receptor. 1201
Robbins, K. *See* Swanson, Robbins, Barrera, Corwin, Boslego, Ciak, Blake, and Koomey.
—, *See* Swanson, Robbins, Barrera, and Koomey.
Rodgers, J. R., Smith, R., III, and Rich, R. R. Maternally transmitted antigens are codominantly expressed by mouse cells containing two kinds of mitochondrial DNA. 560
Rolink, A. G., Radaszkiewicz, T., and Melchers, F. The autoantigen-binding B cell repertoires of normal and of chronically graft-versus-host–diseased mice. 1675
Rosen, F. S. *See* Mentzer, Remold-O'Donnell, Crimmins, Bierer, Rosen, and Burakoff.
Rosenberg, A. S., Mizuochi, T., Sharrow, S. O., and Singer, A. Phenotype, specificity, and function of T cell subsets and T cell interactions involved in skin allograft rejection. 1296
Rothbard, J. *See* Bastin, Rothbard, Davey, Jones, and Townsend.
Rousset, F. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.
Rubin, D. H. *See* London, Rubin, and Cebra.
Rubira, M. R. *See* van Damme, Opdenakker, Simpson, Rubira, Cayphas, Vink, Billiau, and van Snick.
Rudikoff, S. *See* Kang, Cheng, Rudikoff, and Kohler.
Ruitenberg, J. J. *See* Lanier, Federspiel, Ruitenberg, Phillips, Allison, Littman, and Weiss.
Rumpold, H. *See* Rhodes, Rumpold, Kurki, Patrick, Carson, and Vaughan.
Rupp, E. *See* Chin, Cameron, Rupp, and Schmidt.
Rupp, F. *See* Iwamoto, Ohashi, Pircher, Walker, Michalopoulos, Rupp, Hengartner, and Mak.
Rutgers, J. L. *See* Medof, Walter, Rutgers, Knowles, and Nussenzweig.
Ryan, J. J. *See* Abe, Ryan, and Hodes.

S

Salata, K. F. *See* Uchigata, Spitalnik, Tachiwaki, Salata, and Notkins.
Salerno, A. *See* Reeves, Chaudhary, Salerno, and Blobel.
Sanders, M. E. *See* Dustin, Sanders, Shaw, and Springer.
—, *See* Plunkett, Sanders, Selvaraj, Dustin, and Springer.
Sano, K., Fujisawa, I., Abe, R., Asano, Y., and Tada, T. MHC-restricted minimal regulatory circuit initiated by a class II–autoreactive T cell clone. 1284
Sartor, R. B. *See* Stimpson, Esser, Carter, Sartor, Cromartie, and Schwab.
Sassa, S. *See* Landaw, Sassa, Drummond, and Kappas.
Sato, J. D., Kawamoto, T., and Okamoto, T. Cholesterol requirement of P3-X63-Ag8 and X63-Ag8.653 mouse myeloma cells for growth in vitro. 1671
Schall, T. J. *See* Jongstra, Schall, Dyer, Clayberger, Jorgensen, Davis, and Krensky.
Shirò, R. *See* Foa, Casorati, Giubellino, Basso, Shirò, Pizzolo, Lauria, Lefranc, Rabbitts, and Migone.
Schmidt, J. A. *See* Chin, Cameron, Rupp, and Schmidt.
Schoolnik, G. K. *See* Mietzner, Bolan, Schoolnik, and Morse.
Schreiber, R. D. *See* Bjornson, Magnafichi, Schreiber, and Bjornson.
Schwab, J. H. *See* Stimpson, Esser, Carter, Sartor, Cromartie, and Schwab.
Schwartz, R. H. *See* Jenkins and Schwartz.
—, *See* Pardoll, Fowlkes, Lechler, Germain, and Schwartz.
Schwartz, R. S. *See* Migliorini, Ardman, Kaburaki, and Schwartz.
Scott, S. *See* Wicker, Miller, Coker, McNally, Scott, Mullen, and Appel.
Sedgwick, J., Brostoff, S., and Mason, D. Experimental allergic encephalomyelitis in the absence of a classical delayed-type hypersensitivity reaction. Severe paralytic disease correlates with the presence of interleukin 2 receptor–positive cells infiltrating the central nervous system. 1058
Seidman, J. G. *See* Ang, Seidman, Peterman, Duby, Benjamin, Lee, and Hafler.
Seiff, M. *See* Gotschlich, Seiff, and Blake.
Selsing, E. *See* Persiani, Durdik, and Selsing.
Selvaraj, P. *See* Plunkett, Sanders, Selvaraj, Dustin, and Springer.
Seremetis, S. V., Pelicci, P.-G., Tabilio, A., Ubriaco, A., Grignani, F., Cuttner, J., Winchester, R. J., Knowles, D. M., III, and Dalla-Favera, R. High frequency of clonal immunoglobulin or T cell receptor gene rearrangements in acute myelogenous leukemia expressing terminal deoxyribonucleotidyltransferase. 1703
Sharrow, S. O. *See* Rosenberg, Mizuochi, Sharrow, and Singer.
Shaw, S. *See* Dustin, Sanders, Shaw, and Springer.
Sherman, D. H. *See* Waneck, Sherman, Calvin, Allen, and Flavell.
Shevach, E. M. *See* Hu-Li, Shevach, Mizuguchi, Ohara, Mosmann, and Paul.
—, *See* Yokoyama, Koning, Stingl, Bluestone, Coligan, and Shevach.
Shlomchik, M., Nemazee, D., van Snick, J., and Weigert, M. Variable region sequences of murine IgM anti-IgG monoclonal autoantibodies (rheumatoid factors). II. Comparison of hybridomas derived by lipopolysaccharide stimulation and secondary protein immunization. 970

Shohet, S. B. *See* Galili, Buehler, Shohet, and Macher.
Sigaux, F. *See* Chen, Le Paslier, Dausset, Degos, Flandrin, Cohen, and Sigaux.
Simpson, R. J. *See* van Damme, Opdenakker, Simpson, Rubira, Cayphas, Vink, Billiau, and van Snick.
Singer, A. *See* Rosenberg, Mizuochi, Sharrow, and Singer.
Singer, S. J. *See* Kupfer, Swain, and Singer.
Skinner, M., Le Gros, G., Marbrook, J., and Watson, J. D. Development of fetal thymocytes in organ cultures. Effect of interleukin 2. 1481
Slavin, S. *See* Morecki, Leshem, Eid, and Slavin.
Smith, G. *See* Gotch, McMichael, Smith, and Moss.
Smith, J. A. *See* Klickstein, Wong, Smith, Weis, Wilson, and Fearon.
Smith, K. A. *See* Teshigawara, Wang, Kato, and Smith.
Smith, R., III *See* Rodgers, Smith, and Rich.
Snyderman, R. *See* Ho, Lee, and Snyderman.
Sorger, S. B., Hedrick, S. M., Fink, P. J., Bookman, M. A., and Matis, L. A. Generation of diversity in T cell receptor repertoire specific for pigeon cytochrome *c*. 279
Souza, L. M. *See* Welte, Bonilla, Gillio, Boone, Potter, Gabrilove, Moore, O'Reilly, and Souza.
Spencer, S. C., and Fabre, J. W. Identification in rat liver and serum of water-soluble class I MHC molecules possibly homologous to the murine Q10 gene product. 1595
—, *See* Armstrong, Bolton, McMillan, Spencer, and Bradley.
Spitalnik, S. L. *See* Uchigata, Spitalnik, Tachiwaki, Salata, and Notkins.
Sprent, J. *See* Korngold and Sprent.
—, *See* Webb and Sprent.
Springer, T. A. *See* Dustin, Sanders, Shaw, and Springer.
—, *See* Plunkett, Sanders, Selvaraj, Dustin, and Springer.
Stanley, J. R. *See* Eyre and Stanley.
Steinberg, A. D. *See* Klinman and Steinberg.
Steinman, R. M. *See* Inaba and Steinman.
—, *See* Koide, Inaba, and Steinman.
Sterzik, B. *See* Jürgens, Sterzik, and Fehrenbach.
Stevens, R. L. *See* Otsu, Nakano, Kanakura, Asai, Katz, Austen, Stevens, Galli, and Kitamura.
Stimpson, S. A., Esser, R. E., Carter, P. B., Sartor, R. B., Cromartie, W. J., and Schwab, J. H. Lipopolysaccharide induces recurrence of arthritis in rat joints previously injured by peptidoglycan-polysaccharide. 1688
Stingl, G. *See* Yokoyama, Koning, Stingl, Bluestone, Coligan, and Shevach.
Stossel, T. P. *See* Chaponnier, Yin, and Stossel.
Strunk, R. C. *See* Wheat, Wetsel, Falus, Tack, and Strunk.
Sugamura, K. *See* Ogawa, Sugamura, and Watanabe.
Swain, S. L. *See* Kupfer, Swain, and Singer.
Swan, J. C. *See* Allegra, Kovacs, Drake, Swan, Chabner, and Masur.
Swanson, J., Robbins, K., Barrera, O., and Koomey, J. M. Gene conversion variations generate structurally distinct pilin polypeptides in *Neisseria gonorrhoeae*. 1016
—, **Robbins, K., Barrera, O., Corwin, D., Boslego, J., Ciak, J., Blake, M. S., and Koomey, J. M.** Gonococcal pilin variants in experimental gonorrhea. 1344
Szokan, G. *See* Watari, Dietzschold, Szokan, and Heber-Katz.

T

Tabi, Z. *See* Ceredig, Allan, Tabi, Lynch, and Doherty.
Tabilio, A. *See* Seremetis, Pelicci, Tabilio, Ubriaco, Grignani, Cuttner, Winchester, Knowles, and Dalla-Favera.
Tachiwaki, O. *See* Uchigata, Spitalnik, Tachiwaki, Salata, and Notkins.
Tack, B. F. *See* Wheat, Wetsel, Falus, Tack, and Strunk.
Tada, T. *See* Asano and Tada.
—, *See* Sano, Fujisawa, Abe, Asano, and Tada.
Taguchi, O., and Nishizuka, Y. Self tolerance and localized autoimmunity. Mouse models of autoimmune disease that suggest tissue-specific suppressor T cells are involved in self tolerance. 146
Takahashi, H. *See* Darsley, Takahashi, Macchi, Frelinger, Ozato, and Appella.
Takata, Y., Kinoshita, T., Kozono, H., Takeda, J., Tanaka, E., Hong, K., and Inoue, K. Covalent association of C3b with C4b within C5 convertase of the classical complement pathway. 1494
Takebe, Y. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.
Takeda, J. *See* Takata, Kinoshita, Kozono, Takeda, Tanaka, Hong, and Inoue.
Takeda, S.-I. *See* Hamaguchi, Kanakura, Fujita, Takeda, Nakano, Tarui, Honjo, and Kitamura.
Tanaka, E. *See* Takata, Kinoshita, Kozono, Takeda, Tanaka, Hong, and Inoue.
Tarui, S. *See* Hamaguchi, Kanakura, Fujita, Takeda, Nakano, Tarui, Honjo, and Kitamura.
Teshigawara, K., Wang, H.-M., Kato, K., and Smith, K. A. Interleukin 2 high-affinity receptor expression requires two distinct binding proteins. 223
Tidmarsh, G. F. *See* Morse, Tidmarsh, Holmes, Fredrickson, Hartley, Pierce, Langdon, Dailey, and Weissman.
Torres, S. *See* Grzych, Dissous, Capron, Torres, Lambert, and Capron.
Townsend, A. *See* Bastin, Rothbard, Davey, Jones, and Townsend.
Trinchieri, G. *See* Cuturi, Murphy, Costa-Giomi, Weinmann, Perussia, and Trinchieri.
Tuan, R. S., and Nguyen, H. Q. Cardiovascular changes in calcium-deficient chick embryos. 1418
Tykocinski, M. L. *See* Lublin, Lemons, Le Beau, Holers, Tykocinski, Medof, and Atkinson.

U

Ubriaco, A. *See* Seremetis, Pelicci, Tabilio, Ubriaco, Grignani, Cuttner, Winchester, Knowles, and Dalla-Favera.

Uchigata, Y., Spitalnik, S. L., Tachiwaki, O., Salata, K. F., and Notkins, A. L. Pancreatic islet cell surface glycoproteins containing Galβ1-4GlcNAc-R identified by a cytotoxic monoclonal autoantibody. 124

Uyttenhove, C. *See* van Snick, Vink, Cayphas, and Uyttenhove.

V

van Damme, J., Opdenakker, G., Simpson, R. J., Rubira, M. R., Cayphas, S., Vink, A., Billiau, A., and van Snick, J. Identification of the human 26 kD protein, interferon β_2 (IFN-β_2), as a B cell hybridoma/plasmacytoma growth factor induced by interleukin 1 and tumor necrosis factor. 914

van der Logt, J. T. M. *See* Coutelier, van der Logt, Heessen, Warnier, and van Snick.

van Snick, J., Vink, A., Cayphas, S., and Uyttenhove, C. Interleukin-HP1, a T cell–derived hybridoma growth factor that supports the in vitro growth of murine plasmacytomas. 641

—, *See* Coutelier, van der Logt, Heessen, Warnier, and van Snick.

—, *See* Shlomchik, Nemazee, van Snick, and Weigert.

—, *See* van Damme, Opdenakker, Simpson, Rubira, Cayphas, Vink, Billiau, and van Snick.

Vanbervliet, B. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.

Vassalli, J.-D. *See* Wohlwend, Belin, and Vassalli.

Vaughan, J. H. *See* Rhodes, Rumpold, Kurki, Patrick, Carson, and Vaughan.

Vijayakumar, M. *See* McDaniel, Yother, Vijayakumar, McGarry, Guild, and Briles.

Vink, A. *See* van Damme, Opdenakker, Simpson, Rubira, Cayphas, Vink, Billiau, and van Snick.

—, *See* van Snick, Vink, Cayphas, and Uyttenhove.

Vlassara, H. *See* Mosser, Vlassara, Edelson, and Cerami.

W

Walker, C. L. *See* Iwamoto, Ohashi, Pircher, Walker, Michalopoulos, Rupp, Hengartner, and Mak.

Walter, E. I. *See* Medof, Walter, Rutgers, Knowles, and Nussenzweig.

Waneck, G. L., Sherman, D. H., Calvin, S., Allen, H., and Flavell, R. A. Tissue-specific expression of cell-surface Qa-2 antigen from a transfected $Q7^b$ gene of C57BL/10 mice. 1358

Wang, H.-M. *See* Teshigawara, Wang, Kato, and Smith.

Wang, J. M. *See* Colotta, Wang, Polentarutti, and Mantovani.

Warner, S. J. C., Auger, K. R., and Libby, P. Human interleukin 1 induces interleukin 1 gene expression in human vascular smooth muscle cells. 1316

Warnier, G. *See* Coutelier, van der Logt, Heessen, Warnier, and van Snick.

Watanabe, H., and Bannai, S. Induction of cystine transport activity in mouse peritoneal macrophages. 628

Watanabe, Y. *See* Ogawa, Sugamura, and Watanabe.

Watari, E., Dietzschold, B., Szokan, G., and Heber-Katz, E. A synthetic peptide induces long-term protection from lethal infection with herpes simplex virus 2. 459

Watson, J. D. *See* Skinner, Le Gros, Marbrook, and Watson.

Webb, S., and Sprent, J. Downregulation of T cell responses by antibodies to the T cell receptor. 584

Weigert, M. *See* Shlomchik, Nemazee, van Snick, and Weigert.

Weinmann, R. *See* Cuturi, Murphy, Costa-Giomi, Weinmann, Perussia, and Trinchieri.

Weis, J. H. *See* Klickstein, Wong, Smith, Weis, Wilson, and Fearon.

Weiss, A. *See* Durand, Bush, Morgan, Weiss, and Crabtree.

—, *See* Lanier, Federspiel, Ruitenberg, Phillips, Allison, Littman, and Weiss.

Weiss, E. *See* Funke, Hahn, Rieber, Weiss, and Riethmüller.

Weissman, I. L. *See* Morse, Tidmarsh, Holmes, Fredrickson, Hartley, Pierce, Langdon, Dailey, and Weissman.

Welte, K., Bonilla, M. A., Gillio, A. P., Boone, T. C., Potter, G. K., Gabrilove, J. L., Moore, M. A. S., O'Reilly, R. J., and Souza, L. M. Recombinant human granulocyte colony–stimulating factor. Effects on hematopoiesis in normal and cyclophosphamide-treated primates. 941

Wetsel, R. *See* Wheat, Wetsel, Falus, Tack, and Strunk.

Wheat, W. H., Wetsel, R., Falus, A., Tack, B. F., and Strunk, R. C. The fifth component of complement (C5) in the mouse. Analysis of the molecular basis for deficiency. 1442

Wicker, L. S., Miller, B. J., Coker, L. Z., McNally, S. E., Scott, S., Mullen, Y., and Appel, M. C. Genetic control of diabetes and insulitis in the nonobese diabetic (NOD) mouse. 1639

Williams, A. F., Barclay, A. N., Clark, S. J., Paterson, D. J., and Willis, A. C. Similarities in sequences and cellular expression between rat CD2 and CD4 antigens. 368

—, *See* Paterson, Green, Jefferies, Puklavec, and Williams.

Willis, A. C. *See* Williams, Barclay, Clark, Paterson, and Willis.

Wilson, E. L., and Francis, G. E. Differentiation-linked secretion of urokinase and tissue plasminogen activator by normal human hemopoietic cells. 1609

Wilson, J. G. *See* Klickstein, Wong, Smith, Weis, Wilson, and Fearon.

Winchester, R. J. *See* Seremetis, Pelicci, Tabilio, Ubriaco, Grignani, Cuttner, Winchester, Knowles, and Dalla-Favera.

Witmer, M. D. *See* Kaplan, Nusrat, Witmer, Nath, and Cohn.

Wohlwend, A., Belin, D., and Vassalli, J.-D. Plasminogen activator–specific inhibitors produced by human monocytes/macrophages. 320

Wong, W. W. *See* Klickstein, Wong, Smith, Weis, Wilson, and Fearon.
Wood, K. J. *See* Dallman, Wood, and Morris.
Wood, L. M. *See* Zalman, Wood, Frank, and Müller-Eberhard.
Wright, S. D. *See* Bullock and Wright.
—, *See* Ding, Wright, and Nathan.

Y

Yetter, R. A. *See* Mosier, Yetter, and Morse.
Yin, H. L. *See* Chaponnier, Yin, and Stossel.
Yokota, T. *See* Defrance, Aubry, Rousset, Vanbervliet, Bonnefoy, Arai, Takebe, Yokota, Lee, Arai, de Vries, and Banchereau.
Yokoyama, W. M., Koning, F., Stingl, G., Bluestone, J. A., Coligan, J. E., and Shevach, E. M. Production of a T cell hybridoma that expresses the T cell receptor γ/δ heterodimer. 1725
Yother, J. *See* McDaniel, Yother, Vijayakumar, McGarry, Guild, and Briles.
Young, J. D.-E, Damiano, A., DiNome, M. A., Leong, L. G., and Cohn, Z. A. Dissociation of membrane binding and lytic activities of the lymphocyte pore-forming protein (perforin). 1371

Z

Zalman, L. S., Wood, L. M., Frank, M. M., and Müller-Eberhard, H. J. Deficiency of the homologous restriction factor in paroxysmal noctural hemoglobinuria. 572